

dd32492

Tue Mar 24 10:07:24 1992

14

at moments of arrival of sync. pulses from the electronarcosis appts. so that the sync. pulse repetition period equals the noise period. The sync. pulse is lagged so that there is no noise given electronic stimulation of the electronarcosis appts. at 100-200Hz.

USE/ADVANTAGE - In recording E.E.G.s in medicine, protection is provided from interference by electronarcosis appts. Bul.26/ 15.7.85 (4pp Dwg.No.1/2)

-5-

AN - 85-048408/08

XRPX- N85-035841

TI - Stomatological post operation electro-analgesia - by applying bipolar electric pulses of prescribed time, frequency and amplitude

DC - SOS P34

PA - (MOSC MED STOMATOLOG; (MORE=) MOSC REFLEX-THERAPY INST

IN - RUDKO VP, DURINYAN RA, RIZYAEV AF

NP - 1

PN - SU1079252-A 84.03.15 (8508)

PR - 82.07.12 82SU-474528

AP - 82.07.12 82SU-474528

IC - A61N-001/36

AB - (SU1079252)

The treatment is performed with bipolar electric current pulses of 15-60mA amplitude, 1-10 Hz frequency and 15-100 μ sec length. After operations in the trigeminal nerve second branch innervation zone, the active electrode is positioned on the skin where the suborbital nerve emerges, and the passive electrode where the zygomatic arch and the vertical line from the orbit outer edge intersect. After operations in the third branch zone the active electrode is positioned in the external auditory meatus and the passive electrode on the skin where the mental nerve emerges.

USE - To reduce the quantity of analgetics required. Bul.10/15.3.84 (3pp Dwg.No.0/0)

-6-

AN - 84-261800/42

XRPX- N84-195584

TI - Method of general electro-anaesthesia - using smoothly increasing DC current, then with series of impulses of smoothly increasing amplitude

DC - SOS P34

PA - (LEBEV/) LEBEDEV V P

IN - LEBEDEV VP, KATSNELSON YAS, LEOSSKO VA

NP - 1

PN - SU1074543-A 84.02.23 (8442)

PR - 82.01.18 82SU-385722

AP - 82.01.18 82SU-385722

IC - A61N-001/34

AB - (SU1074543)

The method involves acting on the brain with series of high frequency impulses. Treatment is first given with direct current smoothly increased over a period of 3-5 minutes to 6-10mA, and the treatment with series of impulses is performed with a frequency of impulses in the series of 9.5-10.5KHz, a pulse period to pulse duration ratio of 1.6-2.5 and a length of the series of 3-5 m.sec. and the amplitude of the series of impulses is smoothly increased over a period of 3-4 minutes to a value which is 0.2-0.5 of the maximum value of the direct current.

USE/ADVANTAGE - To increase the depth of narcosis without the risk of side effects. It is simple to carry-out, effective for its purpose with no side-eff.

pharmacological substances, including stability of haemo-dynamic index manipulation. Bul.7/23.2.84. (3pp Dwg.No.0/0)

-7-

AN - 84-131800/21

XRPX- C84-055866

XRPX- N84-097548

TI - Electrical anaesthesia for surgical operations - involves introducing polyglucin before beginning of anaesthesia into patient body, to improve effects

DC - B04 SOS P34

PA - (GRGOD=) GRODZENSK MEDIC INS

IN - ILIM VI, GUBAR VV, MIRONOV AV

NP - 1

PN - SU-995801-A 83.02.25 (8421)

PR - 80.07.09 80SU-986393

AP - 80.07.09 80SU-986393

IC - A61M-001/34

AB - (SU-995801)

Electrical anaesthesia has improved effect by introducing polyglucin in amt. 0.5-5 ml per kg of the patient body mass during the 2-4 hours before anaesthesia.

The depth of anaesthesia is increased in the majority of patients during surgical operations and the additional introduction of analgesics or neuroleptia media are eliminated. Bul.6/15.2.83. (6pp Dwg.No.0/0)

-8-

AN - 83-H4416K/22 (H4416K)

XRPX- N83-096836

TI - Electro-anaesthesia using pulsed currents - involves applying constant voltage pulses to patient's forehead and neck

DC - SOS P34

PA - (KASTV/) KASTROUBIN E M

IN - KASTROUBIN EM, KORDJUKOV JV

NP - 1

PN - US4383522-A 83.05.17 (8322)

LA - E

PR - 80.11.12 80US-205981

IC - A61N-001/34

AB - (US4383522)

The method of electroanesthesia of a patient comprises conducting preliminary preoperative medicamentous preparation, conducting induction anesthesia, administering muscle relaxants, conducting intubation followed by forced pulmonary ventilation, and applying D.C. pulses involving an additional constant component with the help of electrodes placed in the region of the forehead and neck of the patient.

The electrodes includes cathodes applied within the region of the forehead, and anodes applied within the region of the neck. Prior to conducting induction anesthesia, the patient is given a treatment with constant pulse ratio pulses applied for a period of about 20 minutes at a repetition frequency within a range of 800 Hz to 1000 Hz in combination with an additional constant component of from 0.1 mA to 0.2 mA, while increasing the average current intensity of the stabilised voltage in the patient circuit up to a range of about 0.4 mA to 1.2 mA. (4pp)

-9-

AN - 81-J53000/33 (J53000)

TI - Combined defibrillation and electro-narcosis appts. - has voltage source charging defibrillation capacitor supplying signal to AND-gate

22-05192

D

dd32492

Tue Mar 24 10:07:24 1992

8

BIOELECTRIC PHENOMENA

AB - IT WAS ESTABLISHED EXPERIMENTALLY THAT THE MOLE CHARGE OF BLOOD LIES BETWEEN 1.78 AND 2.82×10^{-9} CGSE UNITS FOR PARTICLES OF DIAMETERS 1.6 TO 2.06 MICRONS AND MAY BE EITHER POSITIVE OR NEGATIVE. THE ERYTHROCYTE CHARGE IS OF THE ORDER 10^{-9} CGSE UNITS, FOR ERYTHROCYTES OF ABOUT 2 MICRONS, AND IS ALWAYS NEGATIVE.

-3-

AN - C7307791
 TI - NEUROBIONICS: PROBLEMS AND RESULTS
 AU - IVANOV-MUROMSKY, K.A.; MEITUS, V.YU.; ZASLAVSKY, S.JA.; PAREMONOV, YU.V.
 OS - INST. CYBERNETICS, KIEV, USSR
 SO - KYBERNETES (GB) (KIBERN), VOL.2, NO.1, PP.19-26, JAN. 1973, 54 REF.
 DT - J (JOURNAL)
 LA - ENGLISH
 CC - *2C6440; 2C8818; VCKRAK; VCKMAN
 IT - BIOCYBERNETICS; ARTIFICIAL INTELLIGENCE; NEURAL NETS; BRAIN MODELS; SIMULATION; ELECTROENCEPHALOGRAPHY
 ST - NEUROBIONICS; BIONICS; NEURON ENSEMBLES; BRAIN FUNCTIONS
 AB - BASIC PROBLEMS OF THE NEW BRANCH OF BIOMICS-NEUROBIONICS-ARE DISCUSSED IN A COMPREHENSIVE FORM. CLASSES OF PROBLEMS ARE TREATED WHICH BEAR A RELATION TO THE STUDY OF NEURONS AND NEURON ENSEMBLES, TO SIMULATION OF SOME BRAIN FUNCTIONS, TO CONSTRUCTION OF NEUROELECTRONIC AND NEUROTECHNICAL SYSTEMS, AS WELL AS TO THE AUTOMATIC PROCESSING OF EXPERIMENTAL DATA, IN PARTICULAR, TO DECODEING OF EEGS. THE CURRENT SITUATION IS BRIEFLY ANALYSED IN SOLVING THE ABOVE PROBLEMS.

-4-

AN - B7310556; C7305560
 TI - INTERRELATIONS BETWEEN DIFFERENT STRUCTURES OF THE CENTRAL NERVOUS SYSTEM DURING ELECTROHARCOSIS
 AU - IVANOV-MUROMSKII, K.A.; LUK'YANOVA, O.N.; KUZ'MINA, E.I.; SEMENYUK, E.F.
 SO - KIBERN. AND VYCHISL. TEKH. (USSR) (KVYTAS), NO. 14, PP.30-4, 1972, 14 REF.
 DT - J (JOURNAL); EX (EXPERIMENTAL)
 LA - RUSSIAN
 CC - *2C6440; *2B4640; VCKRAK; ZENGAF
 IT - NEURAL NETS
 ST - CENTRAL NERVOUS SYSTEM; ELECTROHARCOSIS; ELECTRICAL ACTIVITY; CORTICAL; SUBCORTICAL STRUCTURES; ELECTRIC CURRENT; SYSTEM ANALYTIC
 AB - CHANGES IN THE ELECTRICAL ACTIVITY OF VARIOUS CORTICAL AND SUBCORTICAL STRUCTURES UNDER THE ACTION OF AN ELECTRIC CURRENT ARE STUDIED. THE EXPERIMENTAL METHODOLOGY IS DESCRIBED AND THE RESULTS OF SOVIET AND FOREIGN INVESTIGATORS OF THE PHENOMENON OF ELECTROHARCOSIS FROM A SYSTEM ANALYTIC POSITION ARE COMPARED.

-5-

AN - C7305555
 TI - MODELLING BRAIN ACTIVITIES
 AU - IVANOV-MUROMSKII, K.A.
 SO - KIBERN. AND VYCHISL. TEKH. (USSR) (KVYTAS), NO. 14, PP.4-8, 1972, 22 REF.
 DT - J (JOURNAL); TH (THEORETICAL)
 LA - RUSSIAN
 CC - *2C6440; VCKRAK
 IT - BRAIN MODELS
 ST - MODELLING; BRAIN ACTIVITIES; ANATOMICAL PARTS
 AB - AN ATTEMPT IS MADE TO SYSTEMATISE, FOR THE BRAIN SPECIES, THE

CONSIDERABLE QUANTITY OF EXPERIMENTAL AND THEORETICAL MATERIAL ACCUMULATED IN RECENT TIMES. METHODS OF MODELLING BRAIN FUNCTIONS AND THE EVOLUTION OF VIEWS ON THE INTERRELATIONS BETWEEN THE MAIN ANATOMICAL PARTS OF THE BRAIN ARE DISCUSSED IN PARTICULAR.

-6-

AN - C707923
 TI - AUTOMATIC PROGNOSIS OF THE COURSE OF DISEASES BY MEANS OF A DIGITAL COMPUTER
 AU - ZASLAVSKIY, S.YA.; IVANOV-MUROMSKII, K.A.
 OS - ACAD. SCI. UKRAINIAN SSR, USSR
 SO - DOKL. AKADE. NAUK SSSR, VOL.187, NO.3, PP.528-30, JULY 1969, TAKEN FROM: SOVIET PHYS. DOKL. (USA), VOL.14, NO.7, PP.638-40, JUN. 1970
 DT - J (JOURNAL)
 LA - RUSSIAN
 CC - *1C8810
 IT - MEDICINE [DISEASES COURSE AUTOMATIC PROGNOSIS USING DIGITAL COMPUTER]
 AB - THE AUTHORS EXAMINE A GENERAL METHOD OF PROGNOSIS BASED ON A SIMPLIFIED SCHEME OF THE PHYSICIAN'S ARGUMENTS. THE INITIAL INFORMATION CONTAINED IN THE CASE HISTORIES IS DESCRIBED TERSELY AND IN THIS FORM CANNOT BE USED IN A DIGITAL COMPUTER. THE CONCEPT OF STATE IS INTRODUCED, MEANING A SET OF SYMPTOMS, COMPLICATIONS, ELEMENTS OF MEDICAL PROCEDURES, ETC., WHICH DETERMINE TO SOME EXTENT THE MANIFESTATION OF OTHER STATES. THEN THE COURSE OF A DISEASE CAN BE DESCRIBED APPROXIMATELY BY A SERIES OF SUCCESSIVE STATES.

SS 3 /C?

USER:
electronarco:PROG:
SS 3 PSTG (5)SS 4 /C?
USER:
ss 3 and not ss 2PROG:
SS 4 PSTG (4)SS 5 /C?
USER:
print 4 full ss 4

PROG:

-1-

AN - A7582937
 TI - RECENT RESULTS OF MARINE ELECTRICAL FISHING EXPERIMENTS [IN INSTRUMENTATION IN OCEANOGRAPHY, BANGOR, WALES, 23-25 SEPT. 1975]
 AU - STEWART, P.A.M.
 OS - IERE: IEE INST. PHYS. ET AL
 SO - IERE, LONDON, ENGLAND, VIII+413 PP., PP.155-62, 1975, 19 REF.
 DT - PA (PAPER); AP (APPLICATIONS); TH (THEORETICAL)
 LA - ENGLISH
 CC - *2A9700; ZRAAAD
 IT - HYDROSYNTHETIC ELECTRIC FIELD EFFECTS; ZOOLOGY
 ST - HYDROSYNTHETIC ELECTRIC FIELD EFFECTS; ZOOLOGY
 AB - AN ATTEMPT IS MADE TO SYSTEMATISE, FOR THE BRAIN SPECIES, THE

22-051/92
(APR 16 '92 11:28 R 2110 T2)

UNCLASSIFIED

22051192
11 APR 16 '92 11:31 R 2110 T2

dd32492

Tue Mar 24 10:07:24 1992

9

PULSED ELECTRIC FIELDS; CONDUCTING SEA WATER; FLATFISH; PLEUROPECTID FAMILY; ELECTROTAXIS; ELECTROMARCOISIS; STUNNING; PULSE GENERATOR CIRCUIT

AB - THE SUCCESSFUL USE OF ELECTRIC FIELDS IN THE CAPTURE OF MARINE FISH DEPENDS ON ACCURATE KNOWLEDGE OF THE REACTIONS OF FISH TO ELECTRICAL STIMULATION AND ON THE DESIGN OF ROBUST, RELIABLE SYSTEMS TO GENERATE PULSED ELECTRIC FIELDS IN CONDUCTING SEA WATER. SEVERAL RECENT EXPERIMENTS IN WHICH ELECTRICAL STIMULATION WAS INCORPORATED IN FISHING GEARS ARE DESCRIBED. THE DESIGN OF ELECTRICAL FISHING SYSTEMS IS CONSIDERED IN DETAIL. AN EXPERIMENT ON THE USE OF ELECTRICAL STIMULATION IN THE CAPTURE OF FLATFISH OF THE PLEUROPECTID FAMILY IS PRESENTED, AND THE EFFICIENCY AND ADVANTAGES OF THE SYSTEM ARE DISCUSSED.

-2-

AN - B7428117
TI - DEVICE FOR ISOLATING BIOELECTRIC SIGNALS DURING THE EFFECT OF HIGH-FREQUENCY ELECTRIC CURRENTS ON AN ORGANISM

AU - RYBAKOV, A.M.
OS - ALL-UNION SCI. RES. INST. MEDICAL-INSTRUMENT MANUFACTURE, MOSCOW, USSR

SO - MED. TEKH. (USSR) (MEDTEK), VOL.7, NO.4, PP.19-23, JULY-AUG. 1973, 4 REF. TAKEN FROM: BIOMED. ENG. (USA) (BIOCAF), VOL.7, NO.4, PP.216-19, JULY-AUG. 1973

DT - J (JOURNAL); PR (PRACTICAL)
LA - ENGLISH
CC - *2B4540; ZENGAF

IT - BIOMEDICAL ELECTRONICS
ST - ISOLATING BIOELECTRIC SIGNALS; ISOLATOR; ELECTROMARCOISIS
AB - DESCRIBES AN ISOLATOR BY MEANS OF WHICH IT WAS POSSIBLE TO OBTAIN HIGH-QUALITY RECORDINGS OF ELECTROENCEPHALOGRAMS DURING ELECTROMARCOISIS BY INTERFERENCE CURRENTS. THE REQUIREMENTS IMPOSED ON THE PARAMETERS OF THE LINES OF THE ISOLATOR ARE SUBSTANTIATED, AND AN EXAMPLE OF THE CALCULATION OF THE PARAMETERS OF THE LINES WITH THE USE OF THE RELATIONS OBTAINED IS GIVEN.

AN - B7407941
TI - CHARACTERISTICS OF APPARATUS DESIGNED TO ACT ON AN ORGANISM DURING BIOELECTRICAL EXAMINATIONS

AU - RYBAKOV, A.M.
OS - ALL-UNION SCI.-RES. INST. MEDICAL INSTRUMENT MANUFACTURE, MOSCOW, USSR

SO - MED. TEKH. (USSR) (MEDTEK), VOL.7, NO.1, PP.6-9, JAN.-FEB. 1973, 1 REF. TAKEN FROM: BIOMED. ENG. (USA) (BIOCAF), VOL.7, NO.1, PP.4-7, JAN.-FEB. 1973

DT - J (JOURNAL); PR (PRACTICAL)
LA - ENGLISH
CC - *2B4540; ZENGAF
IT - BIOMEDICAL MEASUREMENT; NOISE; ELECTRIC DISTORTION
ST - ELECTROMARCOISIS; BIOSIGNAL MEASUREMENT; DISTORTION
AB - THE AUTHOR EXAMINES THE PROBLEMS OF RECORDING BIOSIGNALS DURING THE ACTION OF VARIOUS FORMS OF ENERGY ON THE LIVING ORGANISM E.G. ELECTROMARCOISIS. THE ENERGY FROM THE ACTION SOURCE THAT ENTERS THE BIOSIGNAL MEASUREMENT APPARATUS CAN PRODUCE NOISE, DISTORTION, OR COMPLETE BLOCKAGE OF THE USEFUL SIGNAL.

AN - B7135070
TI - RECENT ADVANCES IN BIOMEDICAL INSTRUMENTATION TECHNIQUES
AU - KRISHNA MURTHY, T.G.
OS - BRITISH PHYS. LABS. INDIA LTD., BANGALORE
SO - IEE-IEE PROC. INDIA (GB) (IPI)

JAN.-FEB. 1971
DT - J (JOURNAL); GR (GENERAL/REVIEW)
LA - ENGLISH
CC - *1B3520
IT - INSTRUMENTATION; BIOMEDICAL ENGINEERING
ST - INSTRUMENTATION TECHNIQUES; DIAGNOSIS; HUMAN AILMENTS; ARTIFICIAL ORGANS; ELECTROCARDIOGRAM; ELECTROENCEPHALOGRAM; ELECTRORETINOGRAM; EYE; ELECTROMYOGRAM FOR MUSCLES; X-RAYS; RADIONUCLIDES; CANCEROUS DISEASES; TELEVISION; BIOTELEMETRY; ELECTROMARCOISIS; LASERS; COMPUTERS; CATHETER
AB - AN ATTEMPT IS MADE TO DESCRIBE BRIEFLY SOME RECENT TECHNIQUES LIKE TELEVISION, BIOTELEMETRY, ELECTROMARCOISIS, LASERS AND COMPUTERS.

SS 5 /C?
USER:
nbr ladnushkin:/an

PROG:
SELECT# POSTINGS TERM
36 5 LADNER, R.E./AU
37 1 LADNOVA, I.A./AU
38 15 LADO, F./AU
39 1 LADO, W.J./AU
40 1 LADONICZEK, C./AU
UP N OR DOWN N?

USER:
file inpadoc

PROG:
ELAPSED TIME ON INSP6976: 0.08 HRS.
\$9.60 ESTIMATED COST CONNECT TIME.
\$1.04 ESTIMATED COST TELECOMMUNICATIONS, IF APPLICABLE.
\$0.00 ESTIMATED COST OFFLINE PRINTS: 0
\$14.40 ESTIMATED COST ONLINE PRINTS: 18
\$25.04 ESTIMATED TOTAL COST THIS INSP6976 SESSION.
YOU ARE NOW CONNECTED TO THE INPADOC DATABASE.
COVERS 1968/1973 THRU WEEKLY UPDATE (9211)

SS 1 /C?
USER:
nbr ivanov-mur:/in

PROG:
SELECT# POSTINGS TERM
41 1 IVANOV-KHOLODNYJ G S/IN
42 3 IVANOV-LOSHKANOV VALERIJ S/IN
43 1 IVANOV-OMSKIJ VLADIMIR/IN
44 7 IVANOV-PERLIN IOSIF S/IN
45 7 IVANOV-SHEDLOVSKIJ NIKOLAJ V/IN
UP N OR DOWN N?

USER:
nbr ladnushkin:/in

PROG:
SELECT# POSTINGS TERM

UNCLASSIFIED

dd32492

Tue Mar 24 10:07:24 1992

10

47 38 IADNOV VYACHESLAV S/IN
 48 1 IADNOV/I/IN
 49 1 IADNOV I VYACHESLAV I/IN
 50 1 IADNOV/I/IN
 UP N OR DOWN N?

USER:
 nbr electroanesth:

PROG:
 SELECT# POSTINGS TERM
 51 1 ELECTROANESTHESY/TI
 52 1 ELECTROANESTHESIA/TI
 53 5 ELECTROANESTHESIA/TI
 54 1 ELECTROANESTHESIA/TI
 55 1 ELECTROANESTHESY/TI
 UP N OR DOWN N?

USER:
 down 5

PROG:
 SELECT# POSTINGS TERM
 56 1 ELECTROANALYSIS/PA
 57 1 ELECTROANNEALING/TI
 58 1 ELECTROANODIC/TI
 59 1 ELECTROANOMALOUS/TI
 60 4 ELECTROAPPARATUS/PA
 UP N OR DOWN N?

USER:
 sel 53

PROG:
 SS 1 PSTG (5)

SS 2 /C?
 USER:
 sel 55

PROG:
 SS 2 PSTG (1)

SS 3 /C?
 USER:
 print ss 1 ss 2

PROG:
 -1-
 PM - US 4383522-A [US4383522] 83.05.17
 TI - METHOD OF ELECTROANESTHESIA
 IN - KASTRUBIN EDUARD M [SU]; KORDJUKOV JURY V [SU]
 PA - KASTRUBIN EDUARD M; KORDJUKOV JURY V
 AP - 80.11.12 205981/80-A [80US-205981]
 PR - 80.11.12 US 205981/80-A [80US-205981]
 IC - A61N-001/34

-2-

PN - US 3791373-A [US3791373] 74.02.12
 TI - PORTABLE ELECTROANESTHESIA DEVICE WITH AUTOMATIC POWER CONTROL
 IN - WINKLER E; MC GOWAN E
 PA - UNIV SOUTHERN ILLINOIS
 AP - 72.03.02 231161/72-A [72US-231161]
 PR - 72.03.02 US 231161/72-A [72US-231161]
 IC - A61N-001/34

-3-
 PN - SU 1079252-A1 [SU1079252] 84.03.15
 TI - METHOD OF ELECTROANESTHESIA OF POSTOPERATIONAL STOMATOLOGIC PATIENTS AND ELECTRODE FOR ITS REALIZATION
 IN - RUDKO VLADIMIR F; DURIYAN RUBEN A; BIZYAEV ALEKSEJ F; SHUGAILOV IGOR A; IVERSEKII NIKOLAJ I; RESHETNIK VITALIJ K; MOSKOVETS OLEG N; PROKUDIN ALEKSANDR S; YAKOVLEV VLADIMIR A
 PA - MO MED STOMATOLOG [SU]; TSKII REFLEKSOTERAPII [SU]
 AP - 82.07.12 3474528/82-A [82SU-474528]
 PR - 82.07.12 SU 3474528/82-A [82SU-474528]
 IC - A61N-001/36

-4-
 PN - SU 1074543-A1 [SU1074543] 84.02.23
 TI - METHOD OF GENERAL ELECTROANESTHESIA
 IN - LEBEDEV VALERIJ P; KATSENLSON YAROV S; LEOSKO VOLDEMAR A; BARANOVSKIY ALFRED I; SHLEMIS GRIGORIJ I
 PA - LEBEDEV VALERIJ P [SU]; KATSENLSON YAROV S [SU]; LEOSKO VOLDEMAR A [SU]; BARANOVSKIY ALFRED I [SU]; SHLEMIS GRIGORIJ [SU]
 AP - 82.01.18 3385722/82-A [82SU-385722]
 PR - 82.01.18 SU 3385722/82-A [82SU-385722]
 IC - A61N-001/34

-5-
 PN - SU 995801-A2 [SU-995801] 83.02.15
 TI - METHOD OF ELECTROANESTHESIA
 IN - ILIN VALERIJ I; GUBAR VYACHESLAV V; MIRON ANATOLIJ V
 PA - GRODNEISK G MED INST [SU]
 AP - 80.07.09 2986393/80-A [80SU-986393]
 PR - 80.07.09 SU 2986393/80-A [80SU-986393]
 IC - A61N-001/34

SS 3 /C?
 USER:
 print ss 2

PROG:
 -1-
 PN - CS 211295-B [CS-211295] 82.02.26
 TI - CONNECTION OF THE HYBRID OUTLET CIRCUIT IN THE DEVICE FOR NEUROSTIMULATING ELECTROANESTHESY AND ELECTROANESTHESY
 IN - LEBL MIROSLAV; MEDVED VLADIMIR
 PA - LEBL MIROSLAV; MEDVED VLADIMIR
 AP - 80.09.01 5943/80-A [80CS-005943]
 PR - 80.09.01 CS 5943/80-A [80CS-005943]
 IC - A61N-001/34

SS 3 /C?
 USER:
 print electroanesth: [REDACTED]

PROG:
 SELECT# POSTINGS TERM

UNCLASSIFIED

26/150-2 22-051/92 APR 16 '92 11:34 R 2110 T2

SG1I

Approved For Release 2000/08/15 : CIA-RDP96-00792R000500090002-2

Approved For Release 2000/08/15 : CIA-RDP96-00792R000500090002-2